

L Number	Hits	Search Text	DB	Time stamp
2	85	((application program driver task\$3 thread\$3 process\$3 (operating adj system) window) with (spawn\$3 launch\$3 start\$3 initiat\$3 instantiat\$3 load\$3) with (second\$5 another other plurality many multiple) with (application driver program task\$3 thread\$3 process\$3)) same ((receiv\$3 receipt request\$3) with messag\$3 with remot\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 08:43
3	60	((application program driver task\$3 thread\$3 process (operating adj system)) with (spawn\$3 launch\$3 start\$3 initiat\$3 instantiat\$3 load\$3) with (second\$5 another other plurality many multiple) with (application driver program task\$3 thread\$3 process)) same ((receiv\$3 receipt request\$3) with messag\$3 with remot\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 07:58
5	99	((application program driver task\$3 thread\$3 process\$3 (operating adj system)) with (spawn\$3 launch\$3 initiat\$3 instantiat\$3 load\$3) with (second\$5 another other plurality many multiple) with (application driver program task\$3 thread\$3 process\$3)) same ((receiv\$3 receipt) with (request\$3 messag\$3)) same (dispatch\$3 agent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 11:35
8	1		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 11:22
9	1	((application program driver task\$3 thread\$3 process\$3 (operating adj system)) with (spawn\$3 launch\$3 initiat\$3 instantiat\$3 load\$3) with (second\$5 another other plurality many multiple) with (application driver program task\$3 thread\$3 process\$3)) same ((receiv\$3 receipt) with (request\$3 messag\$3) with remot\$3 with (admin administrator))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 11:39
10	6	((application program driver task\$3 thread\$3 process\$3 (operating adj system)) with (spawn\$3 launch\$3 initiat\$3 instantiat\$3 load\$3) with (application driver program task\$3 thread\$3 process\$3)) same ((receiv\$3 receipt) with (request\$3 messag\$3) with remot\$3 with (admin administrator))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 11:40
11	9	((application program driver task\$3 thread\$3 process\$3 (operating adj system)) with (spawn\$3 launch\$3 initiat\$3 instantiat\$3 load\$3) with (second\$5 another other plurality many multiple) with (application driver program task\$3 thread\$3 process\$3))) and ((receiv\$3 receipt) with (request\$3 messag\$3) with remot\$3 with (admin administrator))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 11:42
14	1		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 13:54
16	1		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 13:37
22	44	((receiv\$3 receipt response respond\$3) with flag\$4) same ((dispatch\$3 manager) with reset\$4 with flag\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 13:48
23	1	((receiv\$3 receipt response respond\$3) with agent) same ((dispatch\$3 manager) with reset\$4 with flag\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 13:52
24	12	((receiv\$3 receipt response respond\$3)) same (dispatch\$3 with reset\$4 with flag\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 13:53

-	1	((spawn\$3 launch\$3 start\$3 initiat\$3 instantiat\$3) with (low\$3) with priorit\$3 with (task\$3 thread\$3 process\$3)) same agent same dispatch\$3 same (event messag\$3) same (flag\$4 signal\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 07:49
-	2	((spawn\$3 launch\$3 start\$3 initiat\$3 instantiat\$3) with (low\$3) with priorit\$3 with (task\$3 thread\$3 process\$3)) same dispatch\$3 same (event messag\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 09:04
-	81	((spawn\$3 launch\$3 start\$3 initiat\$3 instantiat\$3) with (low\$3) with priorit\$3 with (task\$3 thread\$3 process\$3)) same (event messag\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 09:51
-	6	((spawn\$3 launch\$3 start\$3 initiat\$3 instantiat\$3) with (low\$3) with priorit\$3 with (task\$3 thread\$3 process\$3)) same (event messag\$3) same remot\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 09:16
-	3	((spawn\$3 launch\$3 start\$3 initiat\$3 instantiat\$3) with (low\$3) with priorit\$3 with (task\$3 thread\$3 process\$3)) and ((event messag\$3) same remot\$3 same (dispatch\$3 manag\$5) same (flag\$4 signal\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 09:15
-	13	((spawn\$3 launch\$3 start\$3 initiat\$3 instantiat\$3) with (low\$3) with priorit\$3 with (task\$3 thread\$3 process\$3)) and ((event messag\$3) same remot\$3 same (dispatch\$3 manag\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 09:17
-	1	((spawn\$3 launch\$3 start\$3 initiat\$3 instantiat\$3) with (low\$3) with priorit\$3 with (request\$3 messag\$3 task\$3 thread\$3 process\$3)) same agent same dispatch\$3 same (event messag\$3) same (flag\$4 signal\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 09:16
-	9	((spawn\$3 launch\$3 start\$3 initiat\$3 instantiat\$3) with (low\$3) with priorit\$3 with (request\$3 messag\$3 task\$3 thread\$3 process\$3)) same (event messag\$3) same remot\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 09:16
-	17	((spawn\$3 launch\$3 start\$3 initiat\$3 instantiat\$3) with (low\$3) with priorit\$3 with (request\$3 messag\$3 task\$3 thread\$3 process\$3)) and ((event messag\$3) same remot\$3 same (dispatch\$3 manag\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 09:23
-	12	((spawn\$3 launch\$3 start\$3 initiat\$3 instantiat\$3) with (low\$3) with priorit\$3 with (request\$3 messag\$3 task\$3 thread\$3 process\$3)) and ((event messag\$3) same remot\$3 same (dispatch\$3 manag\$5)) not ((spawn\$3 launch\$3 start\$3 initiat\$3 instantiat\$3) with (low\$3) with priorit\$3 with (request\$3 messag\$3 task\$3 thread\$3 process\$3)) same (event messag\$3) same remot\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 09:23
-	69	((spawn\$3 launch\$3 start\$3 initiat\$3 instantiat\$3) with (low\$3) with priorit\$3 with (task\$3 thread\$3 process\$3)) same (event messag\$3)) not ((spawn\$3 launch\$3 start\$3 initiat\$3 instantiat\$3) with (low\$3) with priorit\$3 with (request\$3 messag\$3 task\$3 thread\$3 process\$3)) and ((event messag\$3) same remot\$3 same (dispatch\$3 manag\$5)) not ((spawn\$3 launch\$3 start\$3 initiat\$3 instantiat\$3) with (low\$3) with priorit\$3 with (request\$3 messag\$3 task\$3 thread\$3 process\$3)) same (event messag\$3) same remot\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 09:37
-	7	((spawn\$3 launch\$3 start\$3 initiat\$3 instantiat\$3) with (task\$3 thread\$3 process\$3)) same agent same dispatch\$3 same (event request\$3 messag\$3) same (flag\$4 signal\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 10:02

-	1	((spawn\$3 launch\$3 start\$3 initiat\$3 instantiat\$3) with (task\$3 thread\$3 process\$3)) same agent same dispatch\$3 same (event request\$3 messag\$3) same (flag\$4 signal\$4) same remot\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 10:12
-	15	((spawn\$3 launch\$3 start\$3 initiat\$3 instantiat\$3 process\$3 execut\$3 perform\$3) with (low\$3) with priorit\$3 with (task\$3 thread\$3 process\$3)) same (event request\$3 messag\$3) same (flag\$4 signal\$4) same remot\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 10:05
-	924	((spawn\$3 launch\$3 start\$3 initiat\$3 instantiat\$3 process\$3 execut\$3 perform\$3) with (task\$3 thread\$3 process\$3)) same (event request\$3 messag\$3) same (flag\$4) same remot\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 10:10
-	328	((spawn\$3 launch\$3 start\$3 initiat\$3 instantiat\$3 process\$3 execut\$3 perform\$3) with (priorit\$3) with (task\$3 thread\$3 process\$3)) same (event request\$3 messag\$3) same remot\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 17:00
-	18	((spawn\$3 launch\$3 start\$3 initiat\$3 instantiat\$3 process\$3 execut\$3 perform\$3) with (priorit\$3) with (task\$3 thread\$3 process\$3)) same (event request\$3 messag\$3) same (flag\$4) same remot\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 10:43
-	4	(device with (communicat\$3 driver)) same ((spawn\$3 launch\$3 load\$3 initiat\$3 instantiat\$3) with (task\$3 thread\$3 process\$3 program application)) same (shar\$3 with data with structur\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 10:47
-	5	(device with (communicat\$3 driver)) same ((spawn\$3 launch\$3 load\$3 initiat\$3 instantiat\$3) with (task\$3 thread\$3 process\$3 driver program application)) same (shar\$3 with data with structur\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 11:07
-	226	(device with (communicat\$3 driver)) same ((spawn\$3 launch\$3 load\$3 initiat\$3 instantiat\$3) with (task\$3 thread\$3 process\$3 driver program application)) and (shar\$3 with data with structur\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 10:50
-	17	((device with (communicat\$3 driver)) same ((spawn\$3 launch\$3 load\$3 initiat\$3 instantiat\$3) with (task\$3 thread\$3 process\$3 driver program application)) same remot\$3) and (shar\$3 with data with structur\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 10:55
-	176	((spawn\$3 launch\$3 load\$3 initiat\$3 instantiat\$3) with (task\$3 thread\$3 process\$3 driver program application)) same (shar\$3 with data with structur\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 11:09
-	35	((process\$3 handl\$3 servic\$3) with (request\$3 messag\$3)) same remot\$3 same agent same (dispatch\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 16:31
-	92	((spawn\$3 launch\$3) with (priorit\$3) with (task\$3 thread\$3 process\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 17:01

-	615	((spawn\$3 launch\$3 start\$3 initiat\$3 instantiat\$3 creat\$3) with (low\$3 less\$3) with (priorit\$3) with (task\$3 thread\$3 process\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 17:02
-	259	((spawn\$3 launch\$3 initiat\$3 instantiat\$3 creat\$3) with (low\$3 less\$3) with (priorit\$3) with (task\$3 thread\$3 process\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 17:03
-	179	((spawn\$3 launch\$3 initiat\$3 instantiat\$3) with (low\$3 less\$3) with (priorit\$3) with (task\$3 thread\$3 process\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 17:13
-	82	((spawn\$3 launch\$3 initiat\$3 instantiat\$3) with (low\$3 less\$3) with (priorit\$3) with (task\$3 thread\$3 process\$3)) same (high\$3 with priorit\$3 with (task\$3 thread\$3 process\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 17:05
-	247	((spawn\$3 launch\$3 initiat\$3 instantiat\$3 allocat\$3) with (low\$3 less\$3) with (priorit\$3) with (task\$3 thread\$3 process\$3)) with (high\$3 with priorit\$3) with (task\$3 thread\$3 process\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 17:15
-	68	((spawn\$3 launch\$3 initiat\$3 instantiat\$3) with (low\$3 less\$3) with (priorit\$3) with (task\$3 subtask\$3 sub-task\$3 thread\$3 process\$3)) with (high\$3 with priorit\$3) with (task\$3 thread\$3 process\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 17:25
-	6	((spawn\$3 launch\$3) with (low\$3 less\$3) with (priorit\$3) with (task\$3 subtask\$3 sub-task\$3 thread\$3 process\$3)) with (high\$3 with priorit\$3) with (task\$3 thread\$3 process\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 17:25